







Two Probe Diameters



Available Options

Dual probe with IR and White light illumination
Audio recording on tip of probe for military / covert surveillance



Ready To Use System



Fully Customisable

Customise your BCS Tactical Infrared video-scope according to your inspections or military requirements by selections probe diameter, probe length, direction of vision or type of illumination required.

BCS Tactical Infrared video-scopes can be fully customised to your specific requirements, With CE certification.

- Compact Military Specification Storage Case
- BCS Tactical Infra-Red Video-scope
- HDMI Cable For External Lapot Connection
- External Tripod
- Battery Charge & Power Cable
- BCS Optical Cleaning Kit





BCS Tactical IR Vide-scope Accessories



- Working Length Max 430 mm



Additional Milspec Case for Multiply Probes





Spare Battery Charger





BCS Tactical IR Videoscope	Probe Dia 3.9 mm	Probe Dia 6.00
Monitor	5 inch Wide-angle high-definition LCD screen (350*155*59 mm)	
Probe Length	Standard 1.5mtr 1.5 to 7 mts is available	
Articulation	360° Degree	
Camera Resolution	720P	
Probe Bending Angle	≤160°	
Field of View	75° / 84°	
Focus Distance	IR & White Dual Lights 50 mm - infinity	
Illumination	Optical Fibers - Infrared 940 Nm	
Power	110-220 Volt EU Plug - USB Universal Connection	
Image Resolution	1280 x 720	1280 x720
Video Resolution	1280 x 720	1280 x720
Working Temp Host	-10°C~50°C, no need preheating under low temperature	
Storage Temp Host	-20°C to 70°C	
Working Temp Probe	-20°C to70°C	
Relative humidity	Max 90% - No Condensation	
Protection Grade	Insert Probe IP67 / Host IP55	
Gross Weight with Probe	0.6 kgs	
Warranty	1 Year Return to Base	